2567 Valley View Ln, Dallas, TX 75234, United States I TX Registration #: TL2020031

DEA #: RP0607436 | ISO/IEC 17025:2017 Certificate #: 6400.01

Sample 1ml THCa Disposable Grape Ape

Sample ID:	BBL_5813	Matrix:	Distillate	Analyses Executed:	CAN
Company:	Enjoy Wellness	Batch ID:	GAD8A1D1035	Reported:	13 May, 2024
Phone:	407-367-8959	Received:	07 May, 2024		
Address:	P.O. Box 310993 Mami, FL 33131		1 () () () () () () () () () (
Email:	sales.enjoyhemp@gmail.com		X		

Lab Notes: Results reported for sample as received. THCP, HHCP, HHCO, D8-iso-THC, D8-THCV and D10-THC are not A2LA accredited.


Cannabinoid Profile Analysis

Analyzed 08 May, 2024 I Instrument HPLC-PDA I Method TM-101 Uncertainty Measurement at 95% confidence level is 10%, k=2

		(C.5%)		
LOD (ppm)	LOQ (ppm)	Result %	Result (mg/g)	mg/pack
0.030	0.080	ND	ND	ND
0.050	0.150	ND	ND	ND
0.040	0.110	ND	ND	ND
0.040	0.120	ND	ND	ND
0.080	0.230	ND	ND	ND
0.060	0.190	41.2418	412.418	412.418
0.080	0.240	ND	ND	ND
0.050	0.160	ND	ND	ND
0.040	0.120	ND	ND	ND
0.080	0.250	ND	ND	ND
0.120	0.360	ND	ND	ND
0.140	0.430	ND	ND	ND
0.210	0.640	ND	ND	ND
0.130	0.400	51.8925	518.925	518.925
0.090	0.280	ND	ND	ND
0.350	1.060	ND	ND	ND
0.270	0.820	0.2881	2.881	2.881
0.210	0.630	ND	ND	ND
		45.5097	455.0972	
		41.2418	412.418	
		ND	ND	
		93.4224	934.224	934.224
	(ppm) 0.030 0.050 0.040 0.080 0.080 0.060 0.080 0.050 0.040 0.040 0.120 0.140 0.120 0.140 0.210 0.130 0.090 0.350 0.350	(ppm) (ppm) 0.030 0.080 0.050 0.150 0.040 0.110 0.040 0.120 0.080 0.230 0.060 0.190 0.060 0.190 0.060 0.120 0.060 0.120 0.050 0.160 0.040 0.120 0.050 0.160 0.120 0.360 0.120 0.360 0.120 0.360 0.120 0.360 0.120 0.360 0.120 0.360 0.120 0.360 0.120 0.360 0.120 0.360 0.130 0.400 0.350 1.060 0.350 1.060	(ppm) (ppm) % 0.030 0.080 ND 0.050 0.150 ND 0.040 0.10 ND 0.040 0.120 ND 0.060 0.230 ND 0.060 0.230 ND 0.060 0.230 ND 0.060 0.240 ND 0.060 0.240 ND 0.060 0.240 ND 0.060 0.240 ND 0.050 0.160 ND 0.040 0.120 ND 0.040 0.250 ND 0.120 0.360 ND 0.120 0.640 ND 0.130 0.400 51.8925 0.090 0.280 ND 0.210 0.630 ND <	(ppm) % (mg/g) 0.030 0.080 ND ND 0.050 0.150 ND ND 0.040 0.101 ND ND 0.040 0.120 ND ND 0.040 0.230 ND ND 0.060 0.240 ND ND 0.060 0.240 ND ND 0.050 0.160 ND ND 0.040 0.120 ND ND 0.040 0.120 ND ND 0.120 0.360 ND ND 0.140 0.430 ND ND 0.130 0.400 51.8925 518.925 0.900 0.820 ND ND 0.210 0.820

Sample Photography





Sample weight: 1.0000 g

NR Not Reportable ND Not Detected NA Not Applicable NT Not Tested LOD Limit of Detection LOD Limit of Ouentification <LOO Detected >ULOL Above upper limit of linearity CFUg Colory Forming Units per 1 gram TNTC Too Numerous to Count





Scan the QR code to verify authenticity. Authorized Signature Thinh Ngo

Thinh Ngo Laboratory Director 13 May, 2024 11:56:38 AM

Bluebonnet Labs I 2567 Valley View Ln, Dallas, TX 75234, United States I 214.903.4405 I ISO/IEC 17025:2017 'This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only to samples and backets indicated. Results are reported on an ''as received' bask, unless indicated otherwise. All required LOC (Liaboratory Quality Control) samples were included in the performance of these analyses and these relates to ISO/IEC Regulations.



2567 Valley View Ln, Dallas, TX 75234, United States I TX Registration #: TL2020031

DEA #: RP0607436 | ISO/IEC 17025:2017 Certificate #: 6400.01

÷ Bluebonnet Labs

HME - Heavy Metals Detection Analysis

Analyzed 07 May, 2024 I Instrument ICP-MS I Method TM-105 Analysis Comment: Result '0' implies detection less than LOQ.

LOD (ppb)	LOQ (ppb)	Result ug/g	Flag	Limit ug/g
0.005	0.015	ND		
0.005	0.016	ND		
0.004	0.013	ND		
0.075	0.224	ND		
e lebolt				
	0.005 0.005 0.004 0.075	0.005 0.015 0.005 0.016 0.004 0.013 0.075 0.224	0.005 0.015 ND 0.005 0.016 ND 0.004 0.013 ND 0.075 0.224 ND	0.005 0.015 ND 0.005 0.016 ND 0.004 0.013 ND 0.075 0.224 ND

MIB - Microbial Testing Analysis

Analyzed 07 May, 2024 | Instrument PCR/ Plating | Method TM-109

Analyte	Limit (CFU/g)	Result CFU/g	Flag
Salmonella SPP		Neg	
Total Yeast & Mold		>10	
Aspergillus fumigatus		Neg	
Aspergillus flavus		Neg	
Aspergillus niger		Neg	
Aspergillus terreus		Neg	
Shiga toxin-producing Escherichia Coli		Neg	

MTO - Mycotoxin Testing Analysis

Analyzed 10 May, 2024 | Instrument LCMS-MS | Method Subcontracted

Analyte	LOD (ppb)	LOQ (ppb)	Result ug/kg (ppb)	Flag	Limit ug/kg
Mycotoxin B1	0.000	0.010	N D		
Mycotoxin B2	0.010	0.030	N D		
Mycotoxin G1	0.010	0.020	N D		
Mycotoxin G2	0.010	0.040	N D		
Ochratoxin A	0.020	0.060	N D		
Total Mycotoxins			N D		

PES - Pesticides Screening Analysis

Analyzed 07 May, 2024 I Instrument LCMS-MS I Method Subcontracted





Scan the QR code to

Authorized Signature Thinh Ngo

Thinh Ngo Laboratory Director 13 May, 2024 11:56:38 AM

Bluebonnet Labs I 2567 Valley View Ln, Dallas, TX 75234, United States I 214.903.4405 I ISO/IEC 17025:2017 report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be usened and you descent second second and produced to be usened and you are considered as an uncleas indicated second are exported on an "are received" basis, uncleas indicated drawnike, equired LQC (Laboratory Quality Control) samples were included in the performance of these analyses and met the acceptance oriteria for ISO/IEC Regulation of the second and and the second and the second and the second as an another or the second as a s

Bluebonnet Labs Certificate of Analysis

2567 Valley View Ln, Dallas, TX 75234, United States I TX Registration #: TL2020031

DEA #: RP0607436 | ISO/IEC 17025:2017 Certificate #: 6400.01

Bluebonnet Labs

Analytes	LOD (ppb)	LOQ (ppb)	Result ug/g	Flag	Limit ug/g
bamectin	0.110	0.330	N D		
cephate	0.230	0.700	N D		
cequinocyl	0.110	0.320	N D		
cetamiprid	0.020	0.050	N D		
dicarb	0.020	0.050	N D		
zoxystrobin	0.020	0.060	N D		
ifenazate	0.010	0.030	N D		
ifenthrin	0.020	0.060	N D		
oscalid	0.060	0.170	N D		
arbaryl	0.010	0.040	N D		
arbofuran	0.010	0.020	N D		
hlorpyrifos	0.010	0.030	N D		
hlorantraniliprole	0.010	0.030	N D		
ofentezine	0.010	0.040	N D		
oumaphos	0.040	0.120	N D		
yfluthrin	2.320	7.020	N D		
permethrin	0.370	1.130	N D		
aminozide	0.550	1.650	N D		
chlorvos	0.050	0.140	N D		
methoate	0.010	0.020	N D		
methomorph	0.010	0.030	N D		
hoprophos	0.020	0.050	N D		
oxazole	0.010	0.020	N D		
ofenprox	0.010	0.040	N D		
enhexamid	0.040	0.140	N D		
enoxycarb	0.020	0.060	N D		
enpyroximate	0.010	0.040	N D		
pronil	0.010	0.040	N D		
udioxinil	0.020	0.050	N D		
unicamide	0.010	0.030	N D		
nazalil	0.060	0.170	N D		
exythiazox	0.010	0.020	N D		
idacloprid	0.040	0.110	N D		
resoxim-methyl	0.020	0.050	N D		
alathion	0.010	0.030	0.0605		
etalaxyl	0.010	0.020	N D		
ethiocarb	0.010	0.030	N D		
ethomyl	0.020	0.050	N D		
evinphos	0.060	0.180	N D		
yclobutanil	1.190	3.610	N D		
aled	0.030	0.080	N D		
aclobutrazole	0.020	0.060	N D		
xamyl	0.020	0.050	N D		
ermethrin	0.080	0.260	N D		
nosmet	0.080	0.230	N D		
peronyl butoxide	0.010	0.040	N D		
rallethrin	0.100	0.300	N D		
INCReportable Not Detected A Not Applicable Not Tested D Limit of Detection Q Limit of Quantification Q0 Detected					Authorized Signature
JLOL Above upper limit of linearity FU/g Colony Forming Units per 1 gram ITC Too Numerous to Count	The Contraction of Contraction	ACCREDITED CERT#6400.01	Scan the QR code to verify authenticity.		Thinh Ngo Laboratory Director May, 2024 11:56:38 AM





Bluebonnet Labs I 2567 Valley View Ln, Dallas, TX 75234, United States I 214.903.4405 I ISO/IEC 17025:2017 "This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. All required LOC (Laboratory Quality Control) samples were included in the performance of these analyses and met the acceptance othering for ISO/EC Regul

Bluebonnet Labs Certificate of Analysis

2567 Valley View Ln, Dallas, TX 75234, United States I TX Registration #: TL2020031

DEA #: RP0607436 | ISO/IEC 17025:2017 Certificate #: 6400.01

Bluebonnet Labs

Analytes	LOD (ppb)	LOQ (ppb)	Result ug/g	Flag	Limit ug/g
Propiconazole	0.070	0.220	N D		
Propoxur	0.010	0.030	N D		
Pyrethrin-I	0.020	0.060	N D		
Pyridaben	0.010	0.020	N D		
Spinetoram	0.230	0.690	N D		
Spinosyn A	0.010	0.020	N D		
Spinosyn D	0.000	0.010	N D		
Spiromesifen	0.050	0.140	N D		
Spirotetramat	0.010	0.030	N D		
Spiroxamine	0.010	0.030	N D		
Tebuconazole	0.010	0.030	N D		
Thiachloprid	0.010	0.030	N D		
Thiamethoxam	0.010	0.040	N D		
Methyl parathion	0.050	0.140	N D		
Diazinon	0.010	0.040	N D		
Trifloxystrobin	0.010	0.030	N D		
Chlordane	0.740	2.250	N D		
Chlorfenapyr	0.830	2.530	N D		
Pentachloronitrobenzene	0.060	0.170	N D		

NR Not Reportable ND Not Detected N/A Not Applicable NT Not Tested LOD Limit of Detection LOD Limit of Ouentification <LOQ Limit of Ouentification <LOQ Detected >ULOL Above upper limit of linearity CFU/g Colony Forming Units per 1 gram TNTC Too Numerous to Count





Scan the QR code to verify authenticity. Authorized Signature Thinh Ngo

Thinh Ngo Laboratory Director 13 May, 2024 11:56:38 AM

Bluebonnet Labs I 2567 Valley View Ln, Dallas, TX 75234, United States I 214.903.4405 I ISO/IEC 17025:2017
"This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or
prevent any disease. Results are only for samples and backets indicated. Results are reported on an "as received" bask, unless indicated otherwise.
All required LOG (Laboratory Quality Control) samples were included in the performance of these analyses and met the acceptance orther is of IrSO/IEC Flogulations.

Bluebonnet Labs Certificate of Analysis

2567 Valley View Ln, Dallas, TX 75234, United States I TX Registration #: TL2020031

DEA #: RP0607436 | ISO/IEC 17025:2017 Certificate #: 6400.01

Bluebonnet Labs

RES - Residual Solvent Analysis

Analyzed 07 May, 2024 | Instrument HS-GC/MS | Method TM-106

Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)	Flag	Limit ug/g
Propane	0.470	1.410	N D		
Butane	0.200	0.610	N D		
Methanol	0.070	0.230	N D		
Pentane	0.130	0.410	26.74		
Ethanol	0.130	0.380	N D		
Ethyl ether	0.020	0.070	N D		
Acetone	0.060	0.180	N D		
sopropyl alcohol	0.030	0.090	N D		
Acetonitrile	0.020	0.060	N D		
Nethylene chloride	0.010	0.020	N D		
lexane	0.030	0.080	N D		
Ethyl acetate	0.030	0.080	N D		
Chloroform	0.010	0.030	N D		
Benzene	0.010	0.030	N D		
2-Dichloroethane	0.010	0.030	N D		
leptane	0.020	0.060	22.04		
richloroethene	0.010	0.030	N D		
Foluene	0.010	0.020	N D		
sobutane	3.900	11.820	N D		
Ethyl benzene	1.700	5.160	N D		
n p-Xylenes	0.010	0.030	N D		
-Xylene	0.010	0.020	N D		

NR Not Reportable ND Not Detected N/A Not Applicable NT Not Tested LOD Limit of Detection LOD Limit of Ouantification <LOQ Detected >ULOL Above upper limit of linearity CFU/g Colony Forming Units per 1 gram TNTC Too Numerous to Count





Scan the QR code to verify authenticity. Authorized Signature Thinh Ngo

Thinh Ngo Laboratory Director 13 May, 2024 11:56:38 AM

Bluebonnet Labs I 2567 Valley View Ln, Dallas, TX 75234, United States I 214.903.4405 I ISO/IEC 17025:2017 "This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any desaue. Results are only constrained and baseline indicated. Results are reported on an Tae received" base, indicated otherwise All required LOC (Laboratory Quality Control) samples were included in the performance of these analyses and met the acceptance orthese for ISO/IEC Playlations.